



## *Safety Data Sheet*

Conforms to OSHA 29 CFR 1910.1200 and aligns to the United Nations Globally Harmonized System  
Date of Revision: 02/20/2020 Revision: 01

### Section 1 - Chemical Product and Company Identification

1.1 Product Name: **VP Classic Non-Synthetic SAE 30 Racing Oil**

1.2 Synonym: Blend

1.3 VP Racing Fuels, Inc., 7124 Richter Road, Elmhurst, TX 78112, 210.635.7744

1.4 Recommended Use: Racing and Classic Car use in Gasoline Engines Application.

1.5 **RESTRICTIONS on USE Gasoline Engines with Catalytic Converters.**

1.6 Emergency Response Number: **CHEMTREC 800-424-9300**

International Emergency Telephone Number: **+1-703-527-3887**

1.7 See Section 16.3 for CHEMTREC in Country Emergency Numbers.

### Section 2 - Hazards Identification

#### 2.1 GHS HAZARD

##### Hazard Classes

**Eye Irritation**

**Skin Irritation**

**Harmful to Aquatic Life Long Lasting Effects**

##### Hazard Categories

**Category 2A**

**Category 2**

**Category 3**

2.2 Signal Word: **Warning**



2.3 Pictograms:

Irritant

#### 2.4 Hazard Statements

PHYSICAL HAZARDS:

None

## VP Classic Non-Synthetic SAE 30 Racing Oil

Conforms to OSHA 29 CFR 1910.1200 and aligns to the United Nations Globally Harmonized System

### HEALTH HAZARDS

H315: Causes skin irritation.

H319: Causes serious eye irritation.

### ENVIRONMENTAL HAZARDS:

H412: Harmful to aquatic life with long-lasting effects.

### PRECAUTIONARY STATEMENTS:

P102: Keep out of reach of children.

P264: Wash hands thoroughly after handling.

P273 Avoid release into the environment.

P280: Wear protective gloves, clothing, and eye protection.

### RESPONSE STATEMENTS:

P302+P352: IF ON SKIN. Wash skin with plenty of water.

P305+P351: IF IN EYES. Rinse cautiously with water for at least 15 minutes. If present, remove contact lenses if easy to do so.

P332+P337+P313: if skin or eye irritation persists, get medical attention.

P362+P364: Take off contaminated clothing and wash them before use.

### STORAGE STATEMENTS:

None.

### DISPOSAL STATEMENTS:

P501: Dispose of content and container per local, regional, national or international regulations.

**2.5** Hazards not otherwise classified (HNOC) or not covered by GHS Repeated exposure may cause skin dryness or cracking.

## Section 3 - Composition / Information on Ingredients

### 3.1

CAS#	EC#	Chemical Names	Percent	Classification
N/A	N/A	VP Classic Non-Synthetic Racing Oil with Additive	100 %	None

## VP Classic Non-Synthetic SAE 30 Racing Oil

Conforms to OSHA 29 CFR 1910.1200 and aligns to the United Nations Globally Harmonized System

### 3.2 Blend Contains

Chemical Names	CAS#	EC/List#	Classification
Zinc Alkyl dithiophosphate	84605-29-8	283-392-8	Skin Irrit. 2 H315, Eye Irrit. 2A H319, Aquatic Chronic H412
*Mineral oil	Not determined		Carb. 1B H350
Soybean oil	8001-22-7	232-274-4	Eye Irrit. 2A H319
Molybdenum	72030-25-2	615-708-0	Not Classified
Hydrotreated, heavy naphthenic distillate	64742-52-5	265-155-0	Carb. 1B H350
Heavy paraffinic oil	64742-54-7	265-157-1	Carb. 1B H350
Residual oils (petroleum), solvent-dewaxed	64742-62-7	265-166-0	Carb. 1B H350

**\*NOTE:** The mineral oil contained in this blend may be described by one or more of the following CAS Nos.: 64742-54-7, 64742-65-0, 64742-55-8, 64742-53-6 and 64742-56-9.

**3.3 Trade Secret Provision and Chemical Concentration Disclosure:** Per OSHA and GHS Regulations, we have withheld specific percentages of the chemicals in this mixture. The chemical concentrations have been disclosed as a blend and apply to the hazards as identified in this Safety Data Sheet.

## Section 4 - First Aid Measures

**4.1 Eye:** Contact with the eyes can cause serious irritation. Symptoms may include discomfort or pain and redness. Severe overexposure can result in swelling of the conjunctiva along with tissue damage.

**Eyes:** Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical aid.

**4.2 Skin:** Contact can cause skin irritation.

**Skin:** Flush skin with plenty of soap and water for at least 15 minutes while removing contaminated clothing and shoes. Get medical aid immediately and wash clothing before reuse.

**4.3 Ingestion:** Causes headache, gastrointestinal pain, nausea.

**Ingestion:** Do NOT induce vomiting. Get medical aid immediately.

**4.4 Inhalation:** Can produce headaches, dizziness, nausea, and impaired vision.

**Inhalation:** Remove from exposure to fresh air immediately. If not breathing, give artificial respiration. If breathing is difficult and **IF TRAINED**, give oxygen. Get medical aid. Do NOT use mouth-to-mouth resuscitation without protection.

**4.5 After first aid, get appropriate paramedic, or community medical support.** The severity of outcome following exposure may be more related to the time between exposure and treatment, rather than the amount of the exposure. Therefore, there is a need for rapid treatment of any exposure.

**4.6 Note to Physicians:** If you determine that a medical emergency exists and the specific chemical identity is necessary for emergency or first-aid treatment, we will immediately disclose the specific chemical identity. Call CHEMTREC 800-424-9300 or 703-527-3887. We will require a written statement of need and confidentiality agreement, per OSHA's Trade Secret Regulations as soon as circumstances permit. In non-emergency situations, we will, upon written request, disclose a specific chemical identity.

# VP Classic Non-Synthetic SAE 30 Racing Oil

Conforms to OSHA 29 CFR 1910.1200 and aligns to the United Nations Globally Harmonized System

## Section 5 - Fire-Fighting Measures

**5.1 General Fire Hazards:** Use water to cool containers exposed to fire.

**5.2 Hazardous Combustion Products:** Avoid fumes of burning products.

**5.3 Extinguishing Media:** Carbon dioxide, dry chemical, foam.

**5.4 Fire Fighting Equipment/Instructions:** Firefighters should wear full-face, self-contained breathing apparatus and impervious protective clothing. Firefighters should avoid inhaling any combustion products.

## Section 6 - Accidental Release Measures

**6.1 Spill /Leak Procedures:** Avoid breathing vapors.

**6.2 Spills:** Contain and collect spillage with absorbent material such as sand, earth, vermiculite, or diatomaceous earth and place in a container for disposal.

## Section 7 - Handling and Storage

**7.1 Handling Precautions:** Wash hands and exposed skin thoroughly after handling. Remove contaminated clothing and wash before reuse. Use with adequate ventilation. Avoid ingestion and contact with eyes, skin, or clothing. Keep the container tightly closed. Avoid inhalation.

**7.2 Storage Requirements:** Store in a tightly closed container.

## Section 8 - Exposure Controls / Personal Protection

### 8.1

Chemical Names	ACGIH- TLV	OSHA - PEL
VP Classic Non-Synthetic Racing Oil with Additive	5mg/m3 TWA	5mg/m3 TWA

### 8.2

**ACGIH® = American Conference of Governmental Industrial Hygienists. TLV® = Threshold Limit Value.**

**OSHA = US Occupational Safety and Health Administration. PEL = Permissible Exposure Limits.**

**NOTE: TWA Means** "TWA is the employee's average airborne exposure in any 8-hour work shift of a 40-hour workweek which shall not be exceeded.

**8.3 Ventilation:** Provide general or local exhaust ventilation systems to maintain airborne concentrations below TLV/PELs. Local exhaust ventilation is preferred because it prevents contaminant dispersion into the work area by controlling it at its source.

**8.4 Contaminated Equipment:** Separate contaminated work clothes from street clothes and launder before reuse. Remove this material from your shoes and clean personal protective equipment.

### 8.5 Personal protective equipment

#### 8.5.1 Respiratory protection

Where risk assessment shows, air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type AXBEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied-air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

## VP Classic Non-Synthetic SAE 30 Racing Oil

Conforms to OSHA 29 CFR 1910.1200 and aligns to the United Nations Globally Harmonized System

### 8.5.2 Hand protection

Handle with gloves. Gloves must be inspected before use. Use proper glove removal techniques to avoid skin contact with this product. Dispose of contaminated gloves after use. Select gloves tested to the **ANSI/ISEA 105-2011** or European EN374 Standard.

Full contact: Viton

Splash contact: Viton

Registered trademark of The Chemours Company FC, LLC.

### 8.5.3 Eye protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

### 8.5.4 Skin and body protection

Impervious clothing flame retardant antistatic protective clothing, the type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

## 8.6 Protective Clothing Pictograms



Splash  
Goggles



Gloves



Protective  
Apron



Vapor  
Respirator

# VP Classic Non-Synthetic SAE 30 Racing Oil

Conforms to OSHA 29 CFR 1910.1200 and aligns to the United Nations Globally Harmonized System

## Section 9 - Physical and Chemical Properties

### 9.1

**Physical State:** Liquid

**Appearance:** Amber

**Odor:** Aromatic Hydrocarbon

**Vapor Pressure:** 45 mmHg@21°C

**Vapor Density (Air=1):** Not Available

**Specific Gravity (H<sub>2</sub>O=1.):** Not Available

**Relative Density:** Not Available

**Odor Threshold:** Not Available

**Flammability (solid, gas):** Not Applicable

**Evaporation rate:** Not Available

**Partition coefficient octanol/water:** Not Available

**Water Solubility:** Insoluble

**Flash Point:** 426°F, 219 °C close cup

**Boiling Point:** 777 °F, 414 °C

**Freezing/Melting Point:** Not Available

**LEL:** Not Applicable

**UEL:** Not Applicable

**Viscosity:** Kinematic 43-118 cm<sup>2</sup>/s@104°F,40°C

**Autoignition Temperature:** Not Available

**Decomposition temperature:** Not Available

**pH:** None

## Section 10 - Stability and Reactivity

**10.1 Stability:** Stable under ordinary conditions of use and storage.

**10.2 Polymerization:** Hazardous polymerization has not been reported.

**10.3 Chemical Incompatibilities:** Strong oxidizing agents.

**10.4 Hazardous Decomposition Products:** Combustion produces carbon monoxide and carbon dioxide.

**10.5 Conditions to Avoid:** Avoid heat, sparks open flames, and other ignition sources.

## Section 11- Toxicological Information

### 11.1

Acute Toxicity Estimate for this blend (ATE)

ATE (Oral): >2000 mg/kg

ATE (Dermal): >2000 mg/kg

ATE (Inhalation vapor/mist): >20 mg/l

**11.1.1** OECD Guideline Test results found in the European Chemical Agency Data Base shows that no components of this product to cause Harmful Oral Toxicity.

**11.1.2** OECD Guideline Test results found in the European Chemical Agency Data Base shows that no components of this product to cause Harmful Dermal Toxicity.

**11.1.3** OECD Guideline Test results found in the European Chemical Agency Data Base shows that no components of this product to cause Harmful Inhalation Toxicity.

**11.2 Route of Entry:** Skin and Eye Contact.

**11.3 Aspiration Hazard:** European Chemical Agency Data Base shows that components of this product may be fatal if swallowed and enters airways. However, the viscosity is >20.5mm<sup>2</sup>/s.

**11.4 Mutagenicity:** OECD Guideline Test results found in the European Chemical Agency DataBase show no components of this product to cause genetic defects.

## VP Classic Non-Synthetic SAE 30 Racing Oil

Conforms to OSHA 29 CFR 1910.1200 and aligns to the United Nations Globally Harmonized System

**11.5 Skin Corrosion/Irritation:** OECD Guideline Test results found in the European Chemical Agency Data Base shows that components of this product to cause skin irritation. Repeated exposure may cause skin dryness or cracking.

**11.6 Serious Eye Damage/Irritation:** OECD Guideline Test results found in the European Chemical Agency Data Base shows that components of this product to cause eye irritation.

**11.7 Reproductive toxicity:** OECD Guideline Test results found in the European Chemical Agency DataBase show no components of this product to cause damage to fertility or the unborn child.

**11.8 Skin Sensitization** OECD Guideline Tests results found in the European Chemical Agency DataBase show no components of this product to cause skin sensitivity.

**11.9 Respiratory Sensitization** OECD Guideline Tests results found in the European Chemical Agency DataBase show no components of this product to cause respiratory sensitivity.

**11.10 Specific Target Organ Toxicity (Single Exposure):** Contains material which may cause damage to the following organs: Eyes and skin.

**11.11 Target Organ Toxicity (Repeated Exposure):** Contains material which may cause damage to the following organs: Eyes and skin.

**11.12 Signs and Symptoms:** Effects may include: Headache, Dizziness, Drowsiness. Symptoms may be delayed.

**11.13 Carcinogenicity:** OECD Guideline Test results found in the European Chemical Agency Data Base shows that components of this product to cause cancer, however, by test contains <3% DMSO extract per IP346 and is not considered to cause cancer.

## Section 12 - Ecological Information

### 12.1

Product Name	Results	Species	Exposure
VP Classic Non-Synthetic Racing Oil with Additive	Expected to be harmful to aquatic organisms. May cause long-term adverse effects in the environment		

**Toxicity:** OECD Guideline Test results found in the European Chemical Agency DataBase show components of this product to cause long-term toxicity to aquatic life.

**12.2 Mobility:** Floats on water.

**12.3 Persistence/degradability:** Inconclusive technical data.

**12.4 Bioaccumulation:** Inconclusive technical data.

12.5 Other adverse effects: Inconclusive technical data

## Section 13 - Disposal Considerations

**13.1 Disposal: DO NOT REUSE EMPTY CONTAINER!** The container should be emptied before discard. Contact a licensed contractor for detailed recommendations. Follow applicable federal, state, and local regulations.

## VP Classic Non-Synthetic SAE 30 Racing Oil

Conforms to OSHA 29 CFR 1910.1200 and aligns to the United Nations Globally Harmonized System

### Section 14 - Transport Information

#### 14.1 US Transport Information

Not regulated

#### 14.2 IMDG Transport Information

Not regulated

#### 14.3 UN Dangerous Goods Transport Information

Not regulated

### Section 15 - Regulatory Information

#### 15.1 US Regulations

**US. Toxic Substances Control Act:** All components of this product are on the TSCA Inventory or are exempt from TSCA Inventory requirements under 40 CFR 720.30

**Toxic Release Inventory (TRI):** This product contains the following EPCRA section 313 chemicals subject to the reporting requirements of section 313 of the Emergency Planning and Community Right-To-Know- Act of 1986 (40 CFR 372):

CAS Number	Chemical Name	Chemical percentage by weight not exceeding
108-88-3	Toluene	At demines% limits
91-20-3	Naphthalene	At demines% limits

**CERCLA Hazardous Substances and corresponding RQs:** Toluene 1000 lbs. Naphthalene 10 lbs.

**SARA Community Right-to-Know Program:** All components of this blend.

**Clean Water Act:** None

**Clean Air Act:** None

**OSHA:** All ingredients are regulated by 29 CFR 1910.1200.

#### State Regulations

##### California prop. 65



**WARNING** This product can expose you to chemicals, including Naphthalene CAS # 91-20-3 and Toluene CAS # 109-86-4, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information, go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

#### Chemicals on the following State Right to Know Lists:

**Massachusetts:** All components of this product are on the Massachusetts Inventory or are exempt from Inventory requirements

**New Jersey** All components of this product are on the New Jersey inventory or are exempt from Inventory requirements



## VP Classic Non-Synthetic SAE 30 Racing Oil

Conforms to OSHA 29 CFR 1910.1200 and aligns to the United Nations Globally Harmonized System

**Pennsylvania:** All components of this product) are on the Pennsylvania Inventory or are exempt from Inventory requirements.

### 15.2 International Regulations:

**Australian Inventory of Chemical Substances:** All components of this product are on the Inventory or are exempt from Inventory requirements.

**National Existing Chemical Inventory in Taiwan:** All components of this product are on the Inventory or are exempt from Inventory requirements.

**Philippine Inventory of Chemicals and Chemical Substances** All components of this product are on the Inventory or are exempt from Inventory requirements.

**China Existing Chemical Inventory:** All components of this product are on the Inventory or are exempt from Inventory requirements.

## Section 16 - Other Information

**16.1 Disclaimer:** The information presented in this Safety Data Sheet is based on data believed to be accurate as of the date this Safety Data Sheet was prepared. HOWEVER, NO responsibility is assumed for any damage or injury resulting from abnormal use or from any failure to adhere to recommended practices. The information provided above is furnished on the condition that the person receiving them shall make their determination as to the suitability of the product for their particular purpose and on the condition that they assume the risk of their use.

**16.2 References:** CHEMpendium database of Canadian Centre for Occupational Health and Safety (CCOHS), JJ Keller online, European Chemical Agency DataBase Chinese Data Base Classification Labeling of Hazardous Chemicals, Australia Data Base for GHS Chemical Classification and MSDS and SDS of chemicals in this blend.

### 16.3 CHEMTREC in-country emergency dial numbers:

<b>CHEMTREC</b> In-Country Dial Numbers	Local # Provided in Country	Toll Free in Country*	Greeting Language
<b>AMERICAS</b>			
CHEMTREC Argentina (Buenos Aires)	+(54)-1159839431		Latin American Spanish
CHEMTREC Brazil (Rio De Janeiro)	+(55)-2139581449		Portuguese
CHEMTREC Cayman Islands	+(1)-345-749-8392		English
CHEMTREC Chile (Santiago)	+(56)-225814934		Latin American Spanish
CHEMTREC Colombia *		01800-710-2151	Latin American Spanish
CHEMTREC Costa Rica*	+(506)-40003869		Latin American Spanish
CHEMTREC Mexico*		01-800-681-9531	Latin American Spanish
CHEMTREC Panama	+(507)-8322475		Latin American Spanish
CHEMTREC Peru (Lima)	+(51)-17071295		Latin American Spanish
CHEMTREC Trinidad and Tobago*	+(1)-868-224-5716		English

## VP Classic Non-Synthetic SAE 30 Racing Oil

Conforms to OSHA 29 CFR 1910.1200 and aligns to the United Nations Globally Harmonized System

### 16.3 CHEMTREC in-country emergency dial numbers continued:

MIDDLE EAST			
CHEMTREC Bahrain (Bahrain)	+(973)-16199372		Arabic
CHEMTREC Israel (Tel Aviv)	+(972)-37630639		Hebrew
CHEMTREC Saudi Arabia*	+(966)-8111095861		Arabic and English
CHEMTREC Kuwait National	+965-22274681		Arabic and English
SUB SAHARAN AFRICA			
CHEMTREC South Africa*		0-800-983-611	English
EAST ASIA			
CHEMTREC Hong Kong (Hong Kong)*		800-968-793	Cantonese
CHEMTREC Japan (Tokyo)	+(81)-345209637		Japanese
CHEMTREC South Korea*		00-308-13-2549	Korean
CHEMTREC South Korea	+(82) 070-7686-0086		Korean
CHEMTREC Taiwan*		00801-14-8954	Mandarin
SOUTHEAST ASIA			
CHEMTREC Indonesia*		001-803-017-9114	Indonesian
CHEMTREC Malaysia *		1-800-815-308	Malay
CHEMTREC Malaysia (Kuala Lumpur)	+(60)-327884561		Malay
CHEMTREC Philippines *		1-800-1-116-1020	Tagalog
CHEMTREC Philippines (Manila)	+(63) 2-395-3308		Tagalog
CHEMTREC Singapore*		800-101-2201	English and Mandarin
CHEMTREC Singapore	+(65)-31581349		English and Mandarin
CHEMTREC Thailand *		001-800-13-203-9987	Thai
CHEMTREC Vietnam (Hanoi)*	+(84)-444581938		Vietnamese
SOUTH ASIA			
CHEMTREC Bangladesh††	N/A	N/A	Bengali
CHEMTREC India *		000-800-100-7141	Hindi
AUSTRALIA & OCEANIA			
CHEMTREC Australia (Sydney)	+(61)-290372994		English
CHEMTREC New Zealand (Auckland)*	+(64)-98010034		English
*Phone numbers for countries marked with an asterisk must be dialed within the country			
*Phone numbers for countries marked with an asterisk must be dialed within the country.			
†† Phone numbers marked with a double dagger have a DID and greeting ONLY supplied by CHEMTREC			

### 16.4 SDS Preparation Date: 08/10/2018

SDS Previous Issue Date: None

SDS Preparation Date: 02/20/2020 Revised sections 2,8,11,13,15,16

Prepared by SJC Compliance Education, Inc.

1319 Varese Dr.

Pearland TX. 77581

[VP@sjcedu.org](mailto:VP@sjcedu.org)

